

# Risk Assessment – Ball pool

Hazard Area	Risk	Existing Controls	Likelihood 1 - 5	Severity 1 - 5	Risk Score L x S	Further Action to take
Ball Pool	Over enthusiastic participants	Responsible person supervising at all times.	2	1	1	In the event of large numbers of participants trained operators should be supplied with the inflatable to aid with large numbers.
Ball Pool	Jumping over unit	Responsible person supervising at all times.	1	1	1	In the event of large numbers of participants trained operators should be supplied with the inflatable to aid with large numbers.
Ball Pool	Danger of unnecessary injury.	Ensure that no one with a history of back or neck problems or who suffers from a heart complaint uses the Inflatable or anyone who is feeling unwell or suffering the effects of alcohol or drugs & Pregnant women may NOT use any equipment at anytime	1	5	5	None
Ball Pool	Overloading or Tipping over.	No user weighing over 90kg or 14 stone is permitted to use the equipment at any time.	1	5	5	None
Ball Pool	Larger participants colliding with smaller participants	Responsible person supervising at all times.	1	1	1	Participants put in to groups of similar size.
Ball Pool	Adverse weather conditions.	The item will be switched off in heavy rain and is not permitted to run in strong winds as both these conditions can be deemed a health and safety risk.	Dependant on weather	Dependant on weather	Dependant on weather	None
Ball Pool	Chocking on balls	Do not allow children to come into contact with balls unsupervised	1	4	4	None
Ball Pool	Injury through lack of supervision.	A fully trained operator must be present with the unit at all times, in the event that the operator is not in view Do Not enter the any circumstances.	1	5	5	None
Ball Pool	Tripping over anchorage points, spare equipment, electrical cables	Anchor points used as per manufacturers instructions and spare equipment erected safely or stowed away. Where possible electrical cable does not cross any public pathway.	1	1	1	In the event of large numbers of participants attending or large events, additional safety fencing is erected, electrical cables will be erected overhead or covered and
Ball Pool	Injury through incorrect positioning.	Do not move or try to reposition the inflatable under any circumstances and ensure that the anchors are in place at all times.	1	2	2	None
Ball Pool	Petrol Blower, Generator Risk of fire	Blowers/generators filled with fuel before delivery, units are fire retardant.	3	1	1	All spare fuel is stored in suitable marked container, and in a safe location, units switched off during re fuelling,
Ball Pool	Choking	No food drinks or chewing gum to be allowed on or near the Inflatable.	1	4	4	None
Ball Pool	Injury through 3 <sup>rd</sup> party items	All shoes, glasses, jewellery, badges MUST be removed before using this Inflatable.	1	5	5	None
Ball Pool	Danger of fire.	No smoking or barbecues near the Inflatable at any time.	1	5	5	None
Ball Pool	Danger of falling from height.	Climbing, hanging or sitting on walls is DANGEROUS and must not be allowed at any time. All our beds have low walls for supervision purposes, this rule is exceptionally important when the inflatable is erected on hard surfaces	1	3	3	None
Ball Pool	Injury through 3 <sup>rd</sup> party & spectators.	Always ensure that the area surrounding the Inflatable is not overcrowded.	2	3	6	None
Ball Pool	Emergency	In the event that someone is seriously injured, DO NOT move the individual, leave the inflatable switched on and dial 999 immediately.	1	5	5	None
Ball Pool	Injury through lack of inflatable pressure or suffocation.	Do not allow anyone to be on the Inflatable during inflation or deflation as this can be EXTREMELY DANGEROUS.	1	2	2	None
Ball Pool	Injury through insecure anchorage.	Never use this unit without proper anchorage in place, It may be blown over in certain wind conditions, If the inflatable unit is not anchored correctly please ensure you tell the erection team before they leave as we keep a tight schedule and may not be able to return immediately.	1	5	5	None

L=Likelihood S=Severity L\*S= Risk 1=Low 5=High

Risk is worked out using numbers 1 - 5. The likelihood is given a number and this is multiplied by the number given to the severity of the risk.

The result = the risk factor. This generic risk assessment is brief and we have our own individual assessments for each individual risk, 25 being the worst possible outcome, any item reaching 25 would give serious cause for concern & we would not be able to erect the unit. It is recommended that clients undertake their own risk assessment to suit their requirements.